

Low-Emitting Materials

Certificate of Compliance

Awarded to: **BETEK BOYA VE KIMYA SANAYI A.Ş OF MALTEPE/ISTANBUL, TURKEY**
ZÜMRÜTEVIER MAH. URAL SOK.02; ZIP CODE: 34852

Category: Construction Materials - Interior Paints & Coatings
Cert. Scheme: VOC Emissions

Accredited
Compliance
Designation:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With

LEED v4 ID+C, BD+C
Collaborative for High Performance Schools EQ 7.1.5
Criteria of MAS Certified Green® Program
TVOC Emissions at 14-days

low-emitting interiors
paints & coatings
low-emitting material
0.5 mg/m³ or less

Bracketed
Products:

AlpinaLife Shield

Test Date
& Report No.:

07/09/2018
1800848

Certificate No.: MAS1800848

valid July 2018 to July 2019



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065
*outside of A2LA accreditation scope

